



Lapon Canyon Drill Program Highlights

2015

- The first two RC drill holes were designed to test the upper portion of the Lapon Rose zone Key highlights of these initial results include:
- RC drill hole LC-15-01 intersected 1.5m of 292 g/t Au at a depth of 18.3m-19.3m. RC hole LC-15-02 intersected 1.5m of 66.8g/t Au at a depth of 30.5m-32m, including 1.5m of 43.7g/t Au at a depth of 50.3m-51.8m.
- RC drill hole LC-15-03 intersected 7.62 g/t Au over 19.8 meters.
- RC drill hole LC-15- 04 intersected a mineralized cross fault structure in previously unmineralized diorite.

Drill Hole	From (m)	To (m)	Length** (m)	Assay* (Au g/t)
LC-15-01	7.6	19.8	12.2	8.41
Including	18.3	19.3	1.5	292.0*
LC-15-02	30.5	53.4	22.9	7.84
Including	30.5	32	1.5	66.8*
Including	50.3	51.8	1.5	43.7*
LC-15-03	7.6	25.9	18.3	7.62
Including	13.7	15.2	1.5	22.3
Including	19.8	21.3	1.5	21.1
LC15-04	56.5	61	4.5	8.25
LC-15-01	7.6	19.8	12.2	8.41
Including	18.3	19.3	1.5	292.0*

*Grades cut to 34.28g/t Au (1 oz/ton) **True widths approx. 65% in LC-15-01 & LC-15-03 and 70% in LC-15-02 & LC-15-04



Lapon Canyon Drill Program Highlights

2016

- RC drill hole LC-16-10 intersected 77.62 grams per tonne gold over 12.2 meters uncut (15.38 g/t cut) from 54.9 to 67.2 meters.
- A second zone in RC drill hole LC-16-10 intersected 48.02 grams per tonne gold over 13.7 meters uncut (7.2g/t cut) from 1.5 to 15.2 meters.
- RC drill hole LC-16-10 was designed to verify the position of previously reported, presently inaccessible mined out area. The drill hole successfully intersected the mined out stope at the reported location and verified the width at some 8 meters at a depth of 68 meters. Notably, a grade of 207 g/t uncut was encountered immediately prior to intersecting the old mined out stope.
- RC drill hole LC-16-11 intersected 39.17 grams per tonne gold over 9.2 meters uncut (10.5 g/t cut) from 15.2 to 24.4 meters.
- RC drill hole's 9, 10, and 12 were drilled in the Upper Lapon Rose zone in an altered sheared and faulted granodiorite and quartz monzonite porphyry.

Drill Hole	From (m)	To (m)	Length** (m)	Assay (Au g/t) Un Cut	Assay* (Au g/t) Cut
LC16-10	1.5	15.2	13.7	48.02	7.21
Including	9.1	10.6	1.5	451	34.28
	54.9	67.2	12.2	77.62	15.38
Including	54.9	56.4	1.5	227	34.28
	61	62.5	1.5	207	34.28
	65.5	67	1.5	106	34.28
LC16-12	15.2	24.4	9.2	39.17	10.53
Including	15.2	16.7	1.5	207	34.28
	16.7	18.2	1.5	13.55	
	22.9	24.4	1.5	12.95	
LC16-09	13.7	18.3	4.5	9.69	

*Grades cut to 34.28g/t Au (1 oz/ton) **True widths approx. 80% in LC-16-09,10, and 12.



Lapon Canyon Drill Program Highlights

2017

- RC drill hole LC-17-14 intersected 12.85 grams per tonne gold over 9.2 meters from 10.6 to 19.8 meters.
- RC drill hole LC-17-13 intersected 21.03 grams per tonne gold over 3.0 meters from 22.9 to 25.9 meters.
- RC drill hole LC-17-19 intersected 18.6 grams per tonne gold (uncut) over 6.1 meters from 15.2 to 21.3 meters.
- RC hole LC-17-22 intercepted 8.86 g/t over 7.6 meters
- RC hole LC17-23 returned intercepts of 32.07 g/t over 6.1 meters (uncut), and 16.5 g/t over 15.2 meters (uncut).

Drill Hole	From (m)	To (m)	Length** (m)	Assay (Au g/t) Un Cut	Assay* (Au g/t) Cut
LC-17-14	10.6	19.8	9.2	12.85	
Including	10.6	12.2	1.5	32.6	
Including	18.3	19.8	1.5	26.2	
	1.5	19.8	18.3	7.8	
LC-17-13	22.9	25.9	3.0	21.03	
Including	24.5	25.9	1.5	40.0	
	15.2	25.9	10.7	5.6	
LC-17-19	15.2	21.3	6.1	18.6	13.6
Including	18.3	19.8	1.5	53.4	34
LC-17-23	32	33.5	1.5	34.5	34
	44.2	50.3	6.1	32.07	17.2
Including	44.2	45.7	1.5	66.1	
Including	48.8	50.3	1.5	61.3	
	61	64	3.0	1.26	
	68.6	82.3	13.7	18.4	7.38
Including	71.6	73.1	1.5	133	
	76.2	77.7	1.5	30.7	

*Grade cut to 34 g/t **True widths approx. 80% in LC-17-14



Lapon Canyon Drill Program Highlights

2018

- LC-18-29 intersected 31.1 g/t Au (uncut) over 13.7 meters including 198 g/t (uncut) over 1.5 meters and 78.1 g/t (uncut) over 1.5 meters.
- RC drill hole LC-18-31 intersected 2.28 g/t Au over 42.7 meters at a depth of 24.4 meters and 159 g/t (uncut) over 1.5 meters at a depth of 83.8 meters.
- RC drill hole LC-18-31 intersected previously unknown old mine workings at 86.9 meters

Drill Hole	From (m)	To (m)	Length** (m)	Assay (Au g/t) Un Cut	Assay* (Au g/t) Cut
LC-18-29	12.2	25.9	13.7	31.1	
Including	15.2	16.7	1.5	198	
Including	19.8	21.3	1.5	78.1	
LC-18-31	24.4	67.1	42.7	2.28	
	83.8	85.3	1.5	159	34.28

*Grade cut to 34 g/t in LC-18-31 **True widths approx. 70% in LC-18-29 73% in LC-18-31



Lapon Canyon Drill Program Highlights

2019

- RC drill hole 19-35 intersected 1.37 g/t over 22.9 meters that discovered a new altered and gold mineralized zone below granite approximately 400 feet south of the Company's previous drilling and discoveries on the Lapon Rose zone.
- RC drill hole LC19-42 intersected 96.03 g/t Au (uncut) over 13.7 meters, including 547.05 g/t Au over 1.5 meters, 115.38 g/t Au over 1.5 meters, and 199.06 g/t Au over 1.5 meters, at a depth of approximately 76 meters.
- RC drill holes LC-19-42 and LC-19-43 were only the second and third holes carried out in the new zone previously discovered in hole LC-19-35
- RC drill hole LC19-43 intersected 94.81 g/t Au (uncut) over 6.1 meters including 305.25 g/t Au over 1.5 meters, and 73.86 g/t Au over 1.5 meters, at a depth of approximately 84 meters.
- RC drill hole LC-19-45 intersected 346.4 g/t Au (uncut) over 1.5 meters at a depth of 3 meters at the Honey pot discovery.

Drill Hole	From (m)	To (m)	Length** (m)	Assay (Au g/t) Un Cut
LC-19-35	33.5	56.4	22.9	1.37
Including	33.5	47.02	13.7	2.01
LC-19-42	65.5	79.2	13.7	96.03
Including	65.5	67.07	1.5	547.05
Including	68.6	70.1	1.5	115.38
Including	77.7	79.2	1.5	199.06
LC-19-43	82.3	88.4	6.1	94.81
Including	82.3	83.8	1.5	305.25
Including	86.9	88.4	1.5	73.86
LC-19-45	1.5	3	1.5	346.4

**True widths approx. 80%